


WARNING

EHV CABLES & LINES IN PLOT AREA

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <div>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</div> <div>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</div>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED. This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 (‘the Act’). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner. Template: SIAS HBSWA COL A5 plot		<div> Scottish and Southern Energy</div>	
services	l.v.	h.v.	e.h.v.						
FOOTPATH	0.40m	0.45m	0.60m	0.75m				H.V. MAINS RECORD	Grid Ref: SU59480632
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m				PORTSMOUTH 023-9262-4200	Scale: 1:1250
l.v./services	– up to 1000V.						UNCONTROLLED COPY Subject to Revision Master held at		Date: 27/09/2016
h.v.	– over 1000V. to 11,000V.								
e.h.v.	– 22,000V. to 132,000V.								



WARNING

EHV CABLES & LINES IN PLOT AREA

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	services	l.v.	h.v.	e.h.v.
FOOTPATH	0.40m	0.45m	0.60m	0.75m
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m
l.v./services	– up to 1000V.			
h.v.	– over 1000V. to 11,000V.			
e.h.v.	– 22,000V. to 132,000V.			

WARNING

There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.
Template: SIAS HBSWA COL A5 plot


Scottish and Southern Energy plc
Registered in Scotland No 117119.
Registered Office: Inverlmond House
200 Dunkeld Road,
Perth, PH1 3AQ.


UNCONTROLLED COPY
Subject to Revision Master held at




L.V. MAINS RECORD PORTSMOUTH 023-9262-4200	Grid Ref:	SU59480632
	Scale:	1:1250
	Date:	27/09/2016




NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G58 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy	
services	l.v.	h.v.	e.h.v.	This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.		H.V. MAINS RECORD		Grid Ref:	SU59930632
FOOTPATH	0.40m	0.45m	0.60m	0.75m	Template: SIAS HESWA COL A5 plot	PORTSMOUTH	023-9262-4200	Scale:	1:1250
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m		UNCONTROLLED COPY		Date:	27/09/2016
l.v./services	– up to 1000V.				Subject to Revision Master held at				
h.v.	– over 1000V. to 11,000V.								
e.h.v.	– 22,000V. to 132,000V.								



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G58 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy		
services	l.v.	h.v.	e.h.v.	This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.		L.V. MAINS RECORD		Grid Ref:	SU59930632	
FOOTPATH	0.40m	0.45m	0.60m	0.75m	Template: SIAS NRSWA COL A3 plot	Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.		PORTSMOUTH 023-9262-4200	Scale:	1:1250
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m		UNCONTROLLED COPY		Date:	27/09/2016	
l.v./services	– up to 1000V.									
h.v.	– over 1000V. to 11,000V.									
e.h.v.	– 22,000V. to 132,000V.									



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div>					BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.					<div>Scottish and Southern Energy</div>				
										This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.					H.V. MAINS RECORD				
										Template: SIAS NSWAA COL A3 plot					PORTSMOUTH 023-0262-4200				
										Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.					UNCONTROLLED COPY				
															Subject to Revision Master held at				



	services	l.v.	h.v.	e.h.v.
FOOTPATH	0.40m	0.45m	0.60m	0.75m
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m
l.v./services	– up to 1000V.			
h.v.	– over 1000V. to 11,000V.			
e.h.v.	– 22,000V. to 132,000V.			


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE GS6 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)


Scottish and Southern Energy plc.
Registered in Scotland No 117119.
Registered Office: Inverlmond House
200 Dunkeld Road,
Perth, PH1 3AQ.


Subject to Revision Master held at



Date: 27/09/2016





NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <div>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</div> <div>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G58 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</div>					BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.					<div> Scottish and Southern Energy</div>					
services	l.v.	h.v.	e.h.v.							This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner. <small>Template: SIAS HMSWA COL A5 plot</small>					H.V. MAINS RECORD					
FOOTPATH	0.40m	0.45m	0.60m	0.75m		Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.					PORTSMOUTH 023-9262-4200					Grid Ref: SU59930607				
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m							UNCONTROLLED COPY Subject to Revision Master held at					Scale: 1:1250				
l.v./services	– up to 1000V.														Date: 27/09/2016					
h.v.	– over 1000V. to 11,000V.																			
e.h.v.	– 22,000V. to 132,000V.																			





WARNING
GAS IN PLOT AREA





NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>		BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.			
services	l.v.	h.v.	e.h.v.	This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.			H.V. MAINS RECORD		Grid Ref: SU60380608	
FOOTPATH	0.40m	0.45m	0.60m	0.75m	Template: SIAS NRSWA COL A3 plot		PORTSMOUTH		Scale: 1:1250	
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m			023-9262-4200		Date: 27/09/2016	
l.v./services	– up to 1000V.						UNCONTROLLED COPY		Subject to Revision Master held at	
h.v.	– over 1000V. to 11,000V.									
e.h.v.	– 22,000V. to 132,000V.									



WARNING

GAS IN PLOT AREA





NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <div>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</div> <div>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</div>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy			
services	l.v.	h.v.	e.h.v.	This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.		L.V. MAINS RECORD		Grid Ref:	SU60380608		
FOOTPATH	0.40m	0.45m	0.60m	0.75m		Template: SIAS NRSWA COL A3 plot		PORTSMOUTH 023-9262-4200		Scale:	1:1250
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m		Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.		UNCONTROLLED COPY		Date:	27/09/2016
l.v./services	– up to 1000V.					UNCONTROLLED COPY		Subject to Revision Master held at			
h.v.	– over 1000V. to 11,000V.										
e.h.v.	– 22,000V. to 132,000V.										





WARNING
GAS IN PLOT AREA




NORMAL DEPTH TO THE TOP OF THE PIPE WHEN LAID				<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>		BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy	
MAINS		SERVICES				Template: SIAS NBSWA COL A3 plot GAS		GAS Record	
FOOTPATH		0.60m		PRIVATE		0.375m		PORTSMOUTH	
VERGE		0.75m		PUBLIC		0.45m		023-9262-4200	
ROAD		0.75m						Grid Ref: SU60380608	
						Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.		Scale: 1:1250	
						UNCONTROLLED COPY		Date: 27/09/2016	
						Subject to Revision Master held at			




NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy						
services	l.v.	h.v.	e.h.v.			This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.		H.V. MAINS RECORD		Grid Ref:	SU60820608			
FOOTPATH	0.40m	0.45m	0.60m	0.75m		Template: SIAS HNSWA COL A3 plot		PORTSMOUTH 023-0262-4200		Scale:	1:1250			
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m		Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.		UNCONTROLLED COPY Subject to Revision Master held at		Date:	27/09/2016			
l.v./services	– up to 1000V.													
h.v.	– over 1000V. to 11,000V.													
e.h.v.	– 22,000V. to 132,000V.													



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. BS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.				
					This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.		L.V. MAINS RECORD		
					Template: SIAS HSWA COL A3 plot		PORTSMOUTH 023-0262-4200		
					Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.		UNCONTROLLED COPY Subject to Revision Master held at		
FOOTPATH services l.v. h.v. e.h.v. 0.40m 0.45m 0.60m 0.75m								Grid Ref: SU60820608	
ROAD CROSSING 0.60m 0.60m 0.75m 0.90m								Scale: 1:1250	
l.v./services - up to 1000V.								Date: 27/09/2016	
h.v. - over 1000V. to 11,000V.									
e.h.v. - 22,000V. to 132,000V.									



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID					<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>	BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.		 Scottish and Southern Energy			
services	l.v.	h.v.	e.h.v.			This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner. <small>Template: SIAS HSWA COL A5 plot</small>		H.V. MAINS RECORD		Grid Ref:	SU60380583
FOOTPATH	0.40m	0.45m	0.60m	0.75m	Scottish and Southern Energy plc. Registered in Scotland No 117119. Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.	UNCONTROLLED COPY Subject to Revision Master held at		PORTSMOUTH 023-9262-4200		Scale:	1:1250
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m						Date:	27/09/2016
l.v./services	– up to 1000V.										
h.v.	– over 1000V. to 11,000V.										
e.h.v.	– 22,000V. to 132,000V.										



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

	services	l.v.	h.v.	e.h.v.
FOOTPATH		0.40m	0.45m	0.60m 0.75m
ROAD CROSSING		0.60m	0.60m	0.75m 0.90m
l.v./services	- up to 1000V.			
h.v.	- over 1000V. to 11,000V.			
e.h.v.	- 22,000V. to 132,000V.			

WARNING

There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. BS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G58 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.
Template: SIAS HSWA COL A3 plot

Scottish and Southern Energy plc
Registered in Scotland No 117119
Registered Office: Inverlmond House
200 Dunkeld Road,
Perth, PH1 3AQ.

UNCONTROLLED COPY
Subject to Revision Master held at



L.V. MAINS RECORD

PORTSMOUTH
023-9262-4200

Grid Ref: SU60380583

Scale: 1:1250


Date: 27/09/2016



WARNING

GAS IN PLOT AREA

<div>NORMAL DEPTH TO THE TOP OF THE PIPE WHEN LAID</div> <table><tr><td colspan="2">MAINS</td><td colspan="2">SERVICES</td></tr><tr><td>FOOTPATH</td><td>0.60m</td><td>PRIVATE</td><td>0.375m</td></tr><tr><td>VERGE</td><td>0.75m</td><td>PUBLIC</td><td>0.45m</td></tr><tr><td>ROAD</td><td>0.75m</td><td></td><td></td></tr></table>				MAINS		SERVICES		FOOTPATH	0.60m	PRIVATE	0.375m	VERGE	0.75m	PUBLIC	0.45m	ROAD	0.75m			<div>WARNING</div> <p>There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. BS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)</p> <p>WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)</p>		<div>BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.</div> <p>This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.</p> <p>Template: SIAS NBSWA COL A3 plot GAS</p> <div>Scottish and Southern Energy plc Registered in Scotland No 117119 Registered Office: Inverlmond House 200 Dunkeld Road, Perth, PH1 3AQ.</div>		<div>Scottish and Southern Energy</div> <div>GAS Record</div> <div>PORTSMOUTH 023-9262-4200</div>		<div>Grid Ref: SU60380583</div> <div>Scale: 1:1250</div> <div>Date: 27/09/2016</div>	
MAINS		SERVICES																									
FOOTPATH	0.60m	PRIVATE	0.375m																								
VERGE	0.75m	PUBLIC	0.45m																								
ROAD	0.75m																										
				UNCONTROLLED COPY		Subject to Revision Master held at																					



Red Barn Community Primary School

	services	l.v.	h.v.	e.h.v.
FOOTPATH	0.40m	0.45m	0.60m	0.75m
ROAD CROSSING	0.60m	0.60m	0.75m	0.90m
l.v./services	– up to 1000V.			
h.v.	– over 1000V. to 11,000V.			
e.h.v.	– 22,000V. to 132,000V.			

There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE
CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.


Scottish and Southern Energy plc.
Registered in Scotland No 117119.
Registered Office: Inveralmond House
200 Dunkeld Road,
Perth, PH1 3AQ.

Subject to Revision Master held at



PORTSMOUTH
023-9262-4200

Date: 27/09/2016



NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

	services	l.v.	h.v.	e.h.v.
FOOTPATH		0.40m	0.45m	0.60m 0.75m
ROAD CROSSING		0.60m	0.60m	0.75m 0.90m
l.v./services	- up to 1000V.			
h.v.	- over 1000V. to 11,000V.			
e.h.v.	- 22,000V. to 132,000V.			

WARNING

There may have been subsequent alterations to the surface levels. Trial holes must be taken to determine positions and depth of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work. (available from HMSO)

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTE G56 SHOULD BE CONSULTED. (AVAILABLE FROM HMSO)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE. CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of SOUTHERN ELECTRIC p.l.c. pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ('the Act'). Unless the Act provides a relevant exception to copyright, the copy must not be copied without the prior permission of the copyright owner.
Template: SIAS HSWA COL A5 plot

Scottish and Southern Energy plc.
Registered in Scotland No 117118.
Registered Office: Inverlmond House
200 Dunkeld Road,
Perth, PH1 3AQ.

UNCONTROLLED COPY
Subject to Revision Master held at



L.V. MAINS RECORD





















































PORTSMOUTH
023-0262-4200

Grid Ref: SU60820584























Scale: 1:1250

Date: 27/09/2016

GIS ELECTRIC SYMBOLS (SOUTH)

	LV UNDERGROUND SERVICE CABLE		POLE
	LV UNDERGROUND MAINS CABLE		POLE MOUNTED TRANSFORMER
	2KV-3.3KV UNDERGROUND CABLE		SUBSTATION
	6.6KV UNDERGROUND CABLE		LINK BOX
	11KV UNDERGROUND CABLE		PILLAR
	22KV UNDERGROUND CABLE		MAJOR PIPELINE
	33KV UNDERGROUND CABLE		ASSUMED ROUTE
	66KV UNDERGROUND CABLE		CROSS SECTION
	132KV UNDERGROUND CABLE		DUCTING
	LV OVERHEAD LINE		FLYING STAY
	2-3.3KV OVERHEAD LINE		PME EARTH
	6.6KV OVERHEAD LINE		NEUTRAL EARTH
	11KV OVERHEAD LINE		OIL/GAS GAUGE
	22KV OVERHEAD LINE		OIL/GAS TANK
	33KV OVERHEAD LINE		BALANCER
	66KV OVERHEAD LINE		REGULATOR
	132KV OVERHEAD LINE		PIT
	FIBRE OPTIC CABLE		SCHEMATIC CONNECTOR
	PILOT CABLE		SUPPLY LOCATION-PROPERTY
	CIRCUIT BREAKER		SUPPLY LOCATION-OTHER
	SWITCH DISCONNECTOR		SUPPLY LOCATION-STREET FURNITURE
	POLE BOX		
	STRAIGHT JOINT		
	TEE JOINT		
	TRIFURCATING JOINT		
	POT END JOINT		
	CAPPED END JOINT		
	SEALING END JOINT		
	SERVICE CONNECTOR JOINT		
	O/H CONNECTOR JOINT		
	WALL BOX JOINT		

GIS ELECTRIC SYMBOLS (NORTH)

	FIBRE OPTIC CABLE		LINK BOX
	PILOT CABLE		PILLAR
	6.6/11kV UNDERGROUND CABLE		SUBSTATION
	33kV UNDERGROUND CABLE		WATER PIPELINE
	132kV UNDERGROUND CABLE		OIL PIPELINE
	LOW VOLTAGE UNDERGROUND CABLE		GAS PIPELINE
	6.6/11kV OVERHEAD LINE		SWITCH DISCONNECTOR
	33kV OVERHEAD LINE		CIRCUIT BREAKER
	132/275kV OVERHEAD LINE		SUPPLY POINT
	LOW VOLTAGE OVERHEAD LINE		
	POLES		
	TOWER		
	POLE TERMINATION		
	JOINTS		
	DUCTING		

Our reference: EJC490 Land East Of Downend Road Portchester.

Miller Homes
Fao Daniel Crawford
Tuscany House
White Hart Lane
Basingstoke
RG21 4AF

SSEPD
Walton Park
Walton Road
Portsmouth
PO6 1UJ



02392 624123



Andy.doe@sse.com



www.ssepd.co.uk
B

18/4/201

Our reference: EJC490 Land East Of Downend Road Portchester.

Dear Sir,

Thank you for your recent enquiry. I am pleased to provide you with my budget estimate for the new electricity connections at the above development. I have enclosed some initial designs for your information. My initial proposals will be subject to our obtaining all necessary legal consents to carry out the work as indicated, including any consent required from third parties.



£308,197
To
£369.836

This budget estimate has been calculated exclusive of vat.
and does not constitute an offer of terms



The budget estimate has been calculated based on a high level assessment, my local knowledge and experience, the information you have provided and the assumptions listed overleaf. It is my best estimate of the costs you would incur for this proposal and is intended for budgetary proposes only.

I trust the information I have provided is of assistance and if I can help further please do not hesitate to contact me. Alternatively, you may find answers to any questions you may have on our web site.

www.ssepd.co.uk.

Yours sincerely,



Andy Doe
Network Connections Designer

Works On Site:

Dismantle existing High Voltage Overhead Lines

Install 1000kVA Transformer On site HV & LV Infrastructure.

375 Residential Houses @ 2.25kVA per Plot

You should be aware that this estimate reflects the current situation and cannot be guaranteed into the future. Before making any financial commitments based on the indicative price above, please contact me to request a firm quotation.

This Quote is based on the developer to do all on site excavation and reinstatement

Additional assumptions and charges

- **Street Lighting**
- **Diversion work on existing overhead or underground networks.**
- **Traffic Management Required.**
- **Contaminated Ground.**
- **Legal Easements/Wayleaves etc.**
- **Reinforcements.**
- **On Site Excavation**

Important notice: Traffic Management Act - Street Works Permit schemes

Local Authorities in England and Wales are likely to introduce a new Permit Scheme for street works that will include charges for providing the permits. It is not clear at this time which Local Authorities will introduce this scheme, when the scheme will be introduced, which streets will be affected or what the level of charges will be. These charges are not within Southern Electric Power Distribution plc's control, and cannot be absorbed by us.

This quotation excludes any charges that may be levied by the Local Authority in respect of these charges. It is important to note that any such charges which are relevant to this project will be subsequently passed on to you through a separate invoice. In addition to the actual charges from the Local Authority, we will charge £25.00 + VAT to cover our administrative charges. Acceptance of this quotation means that you also accept these additional charges.

You may wish to seek clarification on how these charges may affect you from the relevant Local Authority.

Safety

We ask you to take note of the following:-

In accordance with the Health & Safety Guidance Note GS6, you are required to take every precaution to ensure that cranes, tipper lorries, scaffolding, ladders and other plant employed on your works are kept at a safe distance from overhead electric lines and their supports and that such supports are not disturbed by excavations. Goal posts with height restriction will need to be placed at appropriate locations for vehicles passing underneath Scottish and Southern Energy Power Distribution's overhead lines.

In accordance with Health & Safety Executive Guidance Note HS (G) 47 care will also be necessary when digging in proximity to underground cables, particular if mechanical excavators are used.

Overhead lines, underground cables and other electrical plant must be regarded as being "live". Before commencing work in proximity to such plant written notification must be given to Scottish and Southern Energy Power Distribution.

If during the course of your works, any cable should be damaged by you/or your contractors, then this fact must be reported to our Emergency Service Centre on 08000 72 72 82 (Southern Electric Power Distribution plc) immediately. The cost of any repairs will be fully rechargeable.

Locating cables on site

The drawings that I have enclosed with this quotation are not suitable for locating cables on site. To obtain the latest copies of our cable records please send a plan of the area in question together with your contact details to:

Mapping Services
Scottish and Southern Energy Power Distribution
P O Box 6206
BASINGSTOKE
RG24 8BW


Tel: 01256 337294
Fax: 01256 337295

Requesting details of any Scottish and Southern Energy Power Distribution plant and cables in the area. You must excavate hand-dug trial holes to establish the actual positions of all cables before any mechanical excavation works commence.

APPENDIX E

Gas Records

WARNING! This area contains Gas Mains operating at Intermediate Pressure between 2 and 7 bar. Before excavating in the area contact the local network office.



SCALE 1: 2661	LP MAINS	—
USER ID: dm38919	MP MAINS	- - -
DATE: 05/10/2016	IP MAINS	- . - . -
INTERNAL USE ONLY	LHP MAINS	- . - . - .
GRID REFERENCE:	HISTORY DATA	- - - - -
E460000,N106559,SU 60 06	LTs	—
	GTs	■
	SSSIs	■

Some examples of Plant items:

Valve	Depth of Cover	Syphon	Diameter Change	Material Change
⊗	∨	○	⊥	⊥

This plan shows the location of those pipes owned by Scotia Gas Networks (SGN) by virtue of being a licensed Gas Transporter (GT). Gas pipes owned by other GTs or third parties may also be present in this area but are not shown on this plan. Information with regard to such pipes should be obtained from the relevant owners. No warranties are given with regard to the accuracy of the information shown on this plan. Service pipes, valves, siphons, sub-connections etc are not shown but their presence should be anticipated. You should be aware that a small percentage of our pipes/assets may be undergoing review and will temporarily be highlighted in yellow. If your proposed works are close to one of these pipes, you should contact the SGN Plant Protection Team on 08450703497 for advice. No liability of any kind whatsoever is accepted by SGN or its agents, servants or sub-contractors for any error or omission contained herein. Safe digging practices, in accordance with HS (G)47, must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that plant location information is provided to all persons (whether direct labour or sub-contractors) working for you on or near gas apparatus. Information included on this plan should not be referred to beyond a period of 28 days from the date of issue.

INTRANET MAP VERSION 2.1

Hampshire County Area

This plan is reproduced from or based on the OS map by Scotia Gas Networks plc, with the sanction of the controller of HM Stationary Office. Crown Copyright Reserved.